Third Batch of N-numbers Date: June 19, 2002

AMENDMENT(revised June 27, 2002)

Total: 135

Submit completed objector's questionnaires for the following requests by **5:00 P.M. on** <u>July 17, 2002.</u>

Important Note

Please note that there are 3 sets of duplicates in the following table: **N489.03**, **N489.04**, **and N489.06**. They are N-numbers, for which more than one requester is associated with the exclusion request. Please do not submit a duplicate response to these items. **Treat them as one request.**

Slight revisions made June 21, 2002*

ITW Product N314.10 (mistakenly referenced as a cold-rolled) is now correctly categorized as "hot rolled flat rolled" ITW Product N314.13 is categorized as a hot rolled flat rolled product

Company Name	N-number	Product Category	One Line Description
			Hot rolled high carbon flat rolled steel, pickled with
ITW	N314.01	Hot Rolled Flat Rolled	a carbon range of .45 to .55
			Cold rolled high carbon flat rolled steel, pickled
ITW	N314.02	Cold Rolled Flat Rolled	with a carbon range of .45 to .55
			Cold rolled coiled steel per ASTM A1008 DDS
ITW	N314.03	Cold Rolled Flat Rolled	Type B with a thickness of .686mm
			Cold rolled coiled steel per ASTM A1008 DDS
ITW	N314.04	Cold Rolled Flat Rolled	Type B with a thickness of 1.27mm
			Hot rolled sheets in coils; thickness of 3.76mm –0
			+.21mm, grade 310 Mpa
			minimum yield strength per TRW raw material
ITW	N314.05	Hot Rolled Flat Rolled	specification TRWMS30320361.
			Hot rolled sheets in coils; thickness of 3.60mm
			-0+.21mm and 3.48mm-0+.21mm, grade 482
			Mpa minimum yield per TRW raw material
ITW	N314.06	Hot Rolled Flat Rolled	specification TRWMS30320361.
			Cold-rolled coiled steel per ASTM A1008 DDS
ITW	N314.07	Cold Rolled Flat Rolled	Type B with a thickness of 0.38 to 1.27mm
			COLD ROLLED, FLAT ROLLED, HIGH
			CARBON, DRAW QUALITY, SPHEROIDIZED
			ANNEALED SAE 1050 MODIFIED
			STEEL. USED IN THE MANUFACTURE OF
			FASTENERS FOR THE AUTOMOTIVE
ITW	N314.08	Cold Rolled Flat Rolled	INDUSTRY
			Hot rolled flat rolled steel, 2mm or less in
17.47	No.4.4.00		thickness, 1240mm or less in width, type SAE
ITW	N314.09	Hot Rolled Flat Rolled	1030 (modified)
			Hot rolled flat rolled steel, 2.5mm or less in
IT\A/	N04440	Hat Dalla d Flat Dalla d	thickness, 1240mm or less in width, type SAE
ITW	N314.10	Hot Rolled Flat Rolled	1030 (modified)

			Hot rolled flat rolled steel, 2.5mm or less in thickness, 1162.5mm in width, type SAE 1050
ITW	N314.11	Hot Rolled Flat Rolled	(modified)
11 **	14014.11	Tiot Rolled Flat Rolled	Hot rolled flat rolled steel, 2.5mm or less in
			thickness, 1300mm or less in width, type SAE
ITW	N314.12	Hot Rolled Flat Rolled	1012
			Hot rolled flat rolled steel, 2.5mm or less in
			thickness, 1300mm or less in width, type SAE
ITW	N314.13	Hot Rolled Flat Rolled	1023 (modified)
			Hot rolled flat rolled steel, 2mm or less in
			thickness, 1240mm or less in width, type SAE
ITW	N314.14	Hot Rolled Flat Rolled	1025 (modified)
			Hot rolled steel special alloy plate, 30-120 mm
Komatsu America			thick, .23 % Nickel annealed and vacuum
Corp	N320.01	Hot Rolled Flat Rolled	treated
			Hot rolled steel special alloy plate, 30-120 mm
Komatsu America			thick, 1.10 – 1.15% nickel, annealed and vacuum
Corp	N320.02	Hot Rolled Flat Rolled	treated
			Aloneiro de la companya de la compan
			Aluminum/silicon alloy coated, ultra-low carbon
			steel, ASTM A463/A463M specifications, cold-
North land Alumain una			rolled, non-chromate, DDS-IF or EDDS grade,
Northland Aluminum	N1000 04	Corrector Desistant	minimum outgas, for use in high temperature
Products	N322.01	Corrosion Resistant	porcelain enameled cookware.
			Stainless steel solenoid quality bars, meeting AISI 430F and 430FR specifications, with a 1/4" - 1.5"
			diameter, sold under the proprietary trade name
Valbruna	N324.01	SS Bar	"MG1" and "MG2", respectively.
vaibiula	14324.01	OO DAI	Electro-slag remelted stainless steel flat bars
Valbruna	N324.02	SS Bar	meeting AISI 403 and 403 CB specifications.
Valorana	1102 1.02	oo bar	Electro-slag remelted stainless steel flat bars
Valbruna	N324.03	SS Bar	meeting AISI 422 specifications.
		000000	Stainless steel angles meeting AISI 304 and 304L
			specifications, in sizes including 3/4" x 3/4" x 1/8",
Valbruna	N324.04	SS Bar	and 4" x 4", in all thicknesses.
			Stainless steel angles meeting AISI 304 and 304L
			specifications, in sizes 3/4" x 3/16", 3" x 3" x
Valbruna	N324.05	SS Bar	½", and 3.5" x 3.5" x 3/8".
			Stainless steel reinforcing bars, cut-to-length and
			in coils, meeting ASTM Standard A955 M-96,
			meeting AISI 304 and 304LN specifications, sold
Valbruna	N324.07	SS Bar	under the proprietary trade name "REVAL 30".
			Stainless steel reinforcing bars, cut-to-length and
			in coils, meeting ASTM Standard A955 M-96,
Valbruna	N324.08	SS Bar	meeting AISI 2205 specifications.
			Stainless steel reinforcing bars meeting ASTM
			Standard A955 M-96, meeting AISI 316 and
\/albruuaa	N224 22	CC Dor	316LN specifications, sold under the proprietary
Valbruna	N324.09	SS Bar	trade name "REVAL 31".

			Stainless steel angles meeting AISI 316 and 316L
			specifications, in sizes 3" x 3" x 3/16", 3" x 3" x ½",
Valbruna	N324.10	SS Bar	and 3.5" x 3.5" x 3/8".
0.4.0.04	N1007.04		Precision hot rolled reinforcing bars in Grade 150
SAS Stressteel	N327.01	Rebar	with deformations in a threadable format.
			Precision hot rolled tempered steel bars in Grade
SAS Stressteel	N327.02	Rebar	75 with deformations in a threadable format.
			Precision hot rolled tempered steel bars in grade
SAS Stressteel	N327.03	Rebar	95 with deformations in a threadable format
Atlas Steel Product	14327.03	Repai	Aluminized ASTM A463 Type 1 DDS IFS with a
Company	N331.01	Corrosion Resistant	T1-25 Coating
Bedford Steel	N332.01	Hot Rolled Bar	Bedrock 2725- Hollow Drill Bars and Rods
Bedford Steel	N332.02	Hot Rolled Bar	Bedrock 7378 Hollow Drill Bars and Rods
Bedford Steel	N332.03	Hot Rolled Bar	Bedrock 3350 Hollow Drill Bars and Rods
Bedford Steel	N332.04	Hot Rolled Bar	Bedrock 1130 Hollow Drill Bars and Rods
Bedford Steel	N332.05	Hot Rolled Bar	Bedrock 3540 Hollow Drill Bars and Rods
Dedivid Steel	14332.03	Tiot Notice Bai	Cold Rolled special profile steel bars (SAE 1020)
Dura Automotive	N349.01	Cold Rolled Flat Rolled	for use in GM M-Van Hinges
Dura Automotive	14343.01	Cold Rolled Flat Rolled	Hot-rolled, spherodize annealed, descaled, oiled
			bar in AMS 6302 material used for aircraft brake
Firth Rixson	N354.02	Hot Rolled Bar	segments and links
I IIIII IXIXSOII	11334.02	Tiot Rolled Bal	Segments and links
			1% Cr Mo V steel for bolting applications up to
Firth Rixson	N354.03	Hot Rolled Bar	570 degrees Celsius in power generation turbines
1 1111 1/1/2011	11334.03	Tiot Notice Bai	Free cutting steel, bars and rods in irregularly
Aceralia Redondos	N369.01	Hot Rolled Bar	wound coils, hot rolled
Aceralia Neuoriuos	14309.01	Tiot Notice Bai	Free cutting steel, bars and rods not further
Aceralia Redondos	N369.02	Hot Rolled Bar	worked than rolled, hot drawn or hot extruded
Aceralia Neuoriuos	14303.02	Hot Rolled Bal	Corrosion Resistant Alloy Clad Plates for
Dillinger	N370.04	Plate	Pipelines
Lake Shore Live	14370.04	1 late	Hot rolled 1015 steel railroad rail for scale model
Steamers	N379.01	Hot Rolled Bar	railroads
Balkan Steel AD	1407 5.01	Tiot Rolled Bal	ramoads
Skopje	N388.01	Hot Rolled Flat Rolled	Hot Rolled Sheet In Coils
Balkan Steel AD	14000.01	Tiot Rolled Flat Rolled	That Italied Officet in Oolio
Skopje	N388.02	Cold Rolled Flat Rolled	Cold Rolled Sheet In Coils
Balkan Steel AD	11000.02	Cold Hollod Flat Hollod	Cold Profiled Chlock III Colle
Skopje	N388.03	Corrosion Resistant	Hot-dipped galvanized sheet in coils
Скорјо	11000.00	Correction Redictant	The dipped garvariized cheet in cone
			PRODEC improved machining stainless steel cold
AvestaPolarit Ltd.	N389.01	SS Bar	finished bar in sizes less than 25.4 mm.
John Clark Etai	. 1000101	55 541	PRODEC improved machining stainless hot
			rolled, solution annealed and descaled wire rod in
AvestaPolarit Ltd.	N389.02	SS Wire Rod	sizes less than or equal to 25.4 mm.
, Johan Ciant Lta.	1000.02	20 1110 1100	Stainless steel wire rod in hex shape in sizes
AvestaPolarit Ltd.	N389.03	SS Wire Rod	greater than 19.1 mm diameter
, Jotal Galli Lta.	. 1000.00	20 1110 1100	Stainless steel hot-rolled, flat bar in coil form with
			a thickness of 4.5 mm to 14 mm and a width of 17
AvestaPolarit Ltd.	N389.04	SS Wire Rod	mm to 35 mm.
Avesiai Giaiii Liu.	11003.04	OO WITE IXUU	min to 55 min.

	1		Stainless steel hot rolled,
			· ·
			solution_annealed_and_descaled_wire_rod_in_
Avecto Dolovit I td	NOOO OF	SC Wina	irregularly_wound_coils_in_sizes_less_than_or_e
AvestaPolarit Ltd.	N389.05	SS Wire	qual_to_7.0 mm_diameter_in grade 302XK.
A	11000 00	00.14"	Stainless steel wire rod in square shape in sizes
AvestaPolarit Ltd.	N389.06	SS Wire	greater than 19.1 mm diameter.
			Stainless_steel_hot_rolled,_solution_annealed_an
			d_descaled_wire_rod_in_irregularly_wound_coils
			_in_sizes_less_than_or_equal_to_7.0
AvestaPolarit Ltd.	N389.07	SS Wire	mm_diameter in grade 304XX
			Stainless_steel_hot rolled, softened and descaled
			wire rod_in_irregularly wound coils_in sizes 5 to 7
AvestaPolarit Ltd.	N389.08	SS Wire	mm diameter of_grade_304XP.
			Stainless_steel_hot_rolled,_solution_annealed_an
			d_descaled_wire_rod_in_
			irregularly_wound_coils_in_sizes_less_than_or_e
			qual_to_7.0 mm_diameter_of
AvestaPolarit Ltd.	N389.09	SS Wire	grade_302XG.
			Stainless_steel_hot_rolled,_solution_annealed_an
			d_descaled_wire_rod_in_
			irregularly_wound_coils_in_sizes_less_than_or_e
AvestaPolarit Ltd.	N389.10	SS Wire	qual_to_7.0 mm_diameter_in grade 304UG.
			Stainless_steel_hot_rolled,_solution_annealed_an
			d_descaled_wire_rod_in_irregularly_wound_coils
			_in_sizes_less_than_or_equal_to_7.0
AvestaPolarit Ltd.	N389.11	SS Wire	mm_diameter_in grade 316XJ.
			High Frequency Induction ("HFI") welded line pipe
		Welded Pipe & Tube(Other	18 to 24 inches in outside diameter, regardless of
ESTA	N397.04	than OCTG)	wall thickness or grade
			Electrogalvanized Prepainted Flat Roll used in
J&F Steel	N409.02	Corrosion Resistant	Manufacturing of Microwave Ovens
			Tension leveled cold-rolled strip steel with
			lamination-free surface, semi-finished proprietary
			product for use in high stressed automotive hose
Mubea	N422.01	Cold Rolled Flat Rolled	clamps, grade 50/51 CrV4
Widboa	14122.01	Cold Hollod Flat Hollod	Hot-rolled Carbon Steel, grade ASTM A36, Near-
Niagara LaSalle (UK)	N424 01	Hot Rolled Bar	Square Flat Bar (57.15 x 63.5)
Triagara Labano (OT)	14424.01	Hot Rolled Bal	Hot-rolled Carbon Steel, grade ASTM A36, Near-
Niagara LaSalle (UK)	N424 02	Hot Rolled Bar	Square Flat Bar (50.8 x 57.15)
Triagara Labalic (OT)	14424.02	Hot Rolled Bal	Hot-rolled Carbon Steel Bar, grade ASTM A572 in
Niagara LaSalle (UK)	N/12/1 03	Hot Rolled Bar	special rectangular bar shape
Magara LaSalle (UK)	11424.03	l lot Rolled Bal	Hot-rolled Free cutting Steel, AISI C12L14, Half-
Niagara LaSalle (UK)	N424.04	Hot Rolled Bar	Round Special Bar Shape
Magara Lasalle (UK)	11424.04	not Rolled Dal	Hot-rolled Carbon Steel, grade ASTM A36, Near-
Nicacro LaCalla (LIIX)	NACA OF	Hot Dollad Dar	_
Niagara LaSalle (UK)	N424.05	Hot Rolled Bar	Square Flat Bar (31.75 x 38.1)
Nicesana La Ochie (1914)	N404.00	Hat Dalla d Da	Hot-rolled Carbon Steel, ASTM A36, Half Oval
Niagara LaSalle (UK)	N424.06	Hot Rolled Bar	Special Bar Shape
Nicesan Lagrana (1970)	N404.46	Cald Finish at D	Cold Finished C4C4C Flot Cold Cold C
Niagara LaSalle (UK)	N424.10	Cold Finished Bar	Cold Finished C1018 Flat Carbon Steel Bar
Nicesce LeOcile (192)	N404 44	Hat Dalla d Da	Hot-rolled Free cutting AISI 11L17 127 mm x 38.1
Niagara LaSalle (UK)	IN4∠4.11	Hot Rolled Bar	mm Flat Bar

Niagara LaSalle (UK)	N424.12	Cold Finished Bar	Turned and Polished Free cutting Steel Bar
			Hot-rolled SAE 8620 Low Copper Alloy Steel Flat
Niagara LaSalle (UK)	N424.13	Hot Rolled Bar	Bar
Niagara LaSalle (UK)	N424.14	Hot Rolled Bar	Hot-rolled SBQ B26 Boron Alloy Steel Flats
			Hot-rolled H & T MPI Tested Grade 4140 Alloy
Niagara LaSalle (UK)	N424.16	Hot Rolled Bar	Flat Bar (76.2 x 63.5)
			Hot-rolled H&T Eddy Current Tested Grade 4140
Niagara LaSalle (UK)	N424.19	Hot Rolled Bar	Alloy Steel Bar
			Hot-rolled SAE 4140 Alloy Steel Flat Bar (120 mm
Niagara LaSalle (UK)	N424.20	Hot Rolled Bar	x 60 mm)
			Hot-rolled H & T MPI tested, 4140 Alloy Steel Flat
Niagara LaSalle (UK)	N424.21	Hot Rolled Bar	Bar (68.89 x 59.23)
Niagara LaSalle (UK)	N424.22	Cold Finished Bar	Turned and Polished Carbon Steel Bar
,			Hot-rolled Carbon Steel, ASTM A36, Half Round
Niagara LaSalle (UK)	N424.25	Hot Rolled Bar	Special Bar Shape (50.8 x 25.4)
			Hot-rolled Carbon Steel, ASTM A36, Half Round
Niagara LaSalle (UK)	N424.26	Hot Rolled Bar	Special Bar Shape (41x20)
			Hot-rolled Carbon Steel Triangular Type Special
Niagara LaSalle (UK)	N424.28	Hot Rolled Bar	Bar Shape
Niamana La Calla (LIIX)	NI404 00	Llat Dallad Dan	List velled leave beaution and so steel beaution
Niagara LaSalle (UK)	N424.29	Hot Rolled Bar	Hot rolled large hexagon carbon steel bar.
Niagara LaSalle (UK)	N424.30	Hot Rolled Bar	Hot-rolled SAE 5120 Alloy Steel Flat Bar
,			Hot-rolled SAE 4140 Alloy Steel Flat Bar for
Niagara LaSalle (UK)	N424.33	Hot Rolled Bar	Drawbars (89.9 x 87.15)
Niagara LaSalle (UK)	N424.34	Hot Rolled Bar	Hot-rolled large hexagon free cutting bars
Niagara LaSalle (UK)	N424.35	Hot Rolled Bar	Hot-rolled Free cutting Steel Large Square Bar
rriagara Lacario (Ort)	14424.00	Tiot Rolled Bal	Large Cold Finished Hexagons According to
Niagara LaSalle (UK)	N424.36	Cold Finished Bar	ASTM A29/A108
3			Hot-rolled Carbon Steel Bar in Special
Niagara LaSalle (UK)	N424.37	Hot Rolled Bar	Rectangular Bar Shape
Niagara LaSalle (UK)	N424.38	Hot Rolled Bar	Hot-rolled Alloy Steel Large Square Bar
Niagara LaSalle (UK)	N424.39	Hot Rolled Bar	Hot-rolled SBQ Carbon Steel Large Square Bar
Magara LaSalle (OK)	11424.33	Hot Rolled Bal	Tiot-folied 3DQ Carbon Steel Large Square Bai
Niagara LaSalle (UK)	N424.40	Hot Rolled Bar	Hot-rolled Grade 4340 Alloy Steel Flat Bar
<u> </u>			Hot-rolled SBQ Free cutting Steel Flat Bar over
Niagara LaSalle (UK)	N424.41	Hot Rolled Bar	38.1 mm Thick
. ,			Hot-rolled Carbon Steel, ASTM A36, Half Round
Niagara LaSalle (UK)	N424.42	Hot Rolled Bar	Special Bar Shape (63.5 x 31.8)
			Hot-rolled Carbon Steel, ASTM A36, Half Round
Niagara LaSalle (UK)	N424.43	Hot Rolled Bar	Special Bar Shape (76 x 38)
NP 1 - 0 - 11 - 11 - 12 - 12 - 12 -	NI404 44	II. (D. II. 1 D	Hot-rolled SAE 4140 Alloy Steel Flat Bar for
Niagara LaSalle (UK)	N424.44	Hot Rolled Bar	Drawbars (127 x 63.5)
Niagara LaSalle (UK)	N424 46	Hot Rolled Bar	Hot-rolled Large Hexagon Alloy Bar
i viagara Lasalle (UK)	1 NTLT.TU	T TOUT NOTIFE DAT	I TOU-TOILED Large HEXAGOIT Alloy Dal

Niagara LaSalle (UK)	N424.47	Hot Rolled Bar	Hot-rolled SBQ Carbon Steel Large Square Bar
Niagara LaSalle (UK)	N424.48	Cold Finished Bar	Cold Drawn free cutting valve block flat bar
Niagara LaSalle (UK)	N424.49	Cold Finished Bar	Cold finished C1018 carbon steel wide flat bar
Niagara LaSalle (UK)	N424.50	Cold Finished Bar	Cold drawn carbon steel Schumag flat bar, grade C1018
Niagara LaSalle Corporation (US)	N425.03	Hot Rolled Bar	Hot-rolled AISI C1144 Flat Bars
Niagara LaSalle Corporation (US)	N425.06	Hot Rolled Bar	Hot-rolled Free cutting Steel Large Square Bar
Niagara LaSalle Corporation (US)	N425.07	Hot Rolled Bar	Hot-rolled SBQ Carbon Steel Large Square Bar
Niagara LaSalle Corporation (US)	N425.08	Hot Rolled Bar	Hot-rolled SBQ Carbon Steel Large Square Bar
CRH North America	N427.01	Cold Rolled Flat Rolled	Ultra High Strength Cold Rolled Strip with 1.5 and 2.0 mm thickness, less than 500 mm wide for the manufacture of safety critical formed automotive seat tracks
Ovako Steel	N438.02	Hot Rolled Bar	Hot Rolled Bars (Ball Bearing Steel) under 47.625 mm in diameter
Salzgitter AG Stahl			
and Technologie	N445.01	Plate	Wear resistant alloy plate Brinar 400 Cr
Suspa	N458.01	Welded Pipe & Tube(Other than OCTG)	Welded drawn over mandrel steel tubing for gas springs, DIN 2393
Thyssen Steel Group	N465.10	Cold Rolled Flat Rolled	Cold rolled, aluminum killed drawing quality with restricted mechanical properties
Thyssen Steel Group	N465.13	Cold Rolled Flat Rolled	Cold rolled aluminum killed drawing quality with restricted mechanical properties
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.01	Corrosion Resistant	Retained Austenite (TRIP) Steel, cold-rolled substrate, alloy, hot dip galvanized
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.02	Corrosion Resistant	Complex phase steel, hot rolled substrate, alloy, electrogalvanized
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.03	Corrosion Resistant	Retained Austenite (TRIP) Steel, cold-rolled substrate, alloy, electrogalvanized.
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.04	Corrosion Resistant	Retained Austenite (TRIP) Steel, hot-rolled substrate, alloy, hot dip galvanized
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.05	Corrosion Resistant	Dual phase steel, cold-rolled substrate, alloy, hot dip galvanized (500MPa)
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.06	Corrosion Resistant	Partial Martensitic steel, cold-rolled substrate, alloy, electrtogalvanized.
ThyssenKrupp North America/ThyssenKru pp Stahl AG	N469.08	Corrosion Resistant	Dual-phase steel, cold-rolled substrate, alloy, electrogalvanized (600 MPa)

ThyssenKrupp North			
America/ThyssenKru			Complex phase steel, hot-rolled substrate, alloy,
	N460 00	Corrosion Resistant	
pp Stahl AG	N469.09	Corrosion Resistant	hot dip galvanized.
ThyssenKrupp North			Commission who are at a climate walled as the tracter allow
America/ThyssenKru	N1400 40	O	Complex phase steel, hot-rolled substrate, alloy,
pp Stahl AG	N469.10	Corrosion Resistant	electrogalvanized.
ThyssenKrupp North			
America/ThyssenKru			Martenistic phase steel, hot rolled substrate, hot
pp Stahl AG	N469.11	Corrosion Resistant	dip galvanized.
ThyssenKrupp North			
America/ThyssenKru			Dual-phase steel, hot rolled substrate, alloy,
pp Stahl AG	N469.12	Corrosion Resistant	electrogalvanized
ThyssenKrupp North			
America/ThyssenKru			Martensitic phase steel, hot rolled substrate,
pp Stahl AG	N469.13	Corrosion Resistant	electrogalvanized
ThyssenKrupp North			
America/ThyssenKru			Dual-phase steel, cold-rolled substrate, alloy,
pp Stahl AG	N469.14	Corrosion Resistant	electrogalvanized (500 MPa)
ThyssenKrupp North			l l l l l l l l l l l l l l l l l l l
America/ThyssenKru			Partial Martenistic steel, cold-rolled substrate,
pp Stahl AG	N469.15	Corrosion Resistant	alloy hot dip galvanized.
pp ctain / to			Direct cast amorphous ribbon with amorphous
			microstructure for the use in cores and
			components for use in electronic applications for
			various application fields such as e.g., power
VAC Magnetic	N479.03	Cold Finished Bar	supplies, sensors
VAC Magnetic	1147 9.03	Cold i illistied bai	supplies, selisors
Xaloy, Inc	N487.01	Hot Rolled Bar	SBQ Hot Rolled Bar Din specification #1.8159A
			This pre-painted hot-dip galvanized steel sheet is
			produced with a substrate of interstitial free steel
			which coated with a special organic resin typically
			consists of a primer and finish coat on the topside
Yieh Phui Enterprise	N488.01	Corrosion Resistant	which specified as high molecular friction
			Grade 1095 clean steel with low sulfur and
ZAPP USA	N489.03	Cold Rolled Flat Rolled	phosphorus content in 1000 mm width
Stahlwerk Ergste			Grade 1095 clean steel with low sulfur and
Westig	N489.03	Cold Rolled Flat Rolled	phosphorus content in 1000 mm width
			High-grade precision stainless steel profile bar
			produced to ASTM F138 used for medical implant
ZAPP USA	N489.04	SS Bar	applications
			High-grade precision stainless steel profile bar
Stahlwerk Ergste			produced to ASTM F138 used for medical implant
Westig	N489.04	SS Bar	applications
Stahlwerk Ergste			1.25% Carbon Steel Strip for the production of
Westig	N489.06	Cold Rolled Flat Rolled	cutting blades
		2 3.2 1.3 iou i lat itoliou	1.25% Carbon Steel Strip for the production of
ZAPP USA	N489.06	Cold Rolled Flat Rolled	cutting blades
		Join Rolled Flat Rolled	Julian Saladoo
OneSteel Trading Pty			Galvanized, cold formed, steel angles with yield
Limited	N495.02	Hot Rolled Bar	strength 50,000psi to 65,000psi (350 to 450 Mpa)
		. lot Rollod Bal	31.31.31.30,000poi to 00,000poi (000 to 400 ivipa)

RYCO HYDRAULICS PTY. LTD.	N496.01	Carbon Flanges/Fittings	Two Piece Crimp Hydraulic Couplings for use with RYCO HYDRAULICS Flexible Hydraulic Hose.
RYCO HYDRAULICS PTY. LTD.	N496.02	Carbon Flanges/Fittings	RYCO Reusable Hydraulic Couplings for use with RYCO HYDRAULICS Flexible Hydraulic Hose.
RYCO HYDRAULICS PTY. LTD.	N496.03	Carbon Flanges/Fittings	One Piece Crimp Hydraulic Couplings for use with RYCO HYDRAULICS Flexible Hydraulic Hose.
American Iron & Alloy Corporation	N520.01	Slab	Versa-Bar continuous cast iron V3/V4Ductile Iron
American Iron & Alloy Corporation	N520.02	Slab	Versa-Bar continuous cast iron V2Gray Iron
Molitec Steel Co. Ltd. Azovstal Iron & Steel	N521.01	Cold Rolled Flat Rolled	C1095 Steel strip-bread band knive quality Semi-finished products of steel (slabs) in grade
Works	N528.01	Slab	API X70

Important Note

Please note that there are 3 sets of duplicates in the following table: **N489.03**, **N489.04**, **and N489.06**. They are N-numbers, for which more than one requester is associated with the exclusion request. Please do not submit a duplicate response to these items. **Treat them as one request.**